



PDF version

FTDesign Manual V7.5

Theory & Decisions | Tools & Options | Printline or Records mode
Design & Objects | Masking & Font Change | Projects | Testing & Viewing
Repaginator | **FTSplitDef** | Registry Update | Special Forms

[Full PDF Manual](#)
[Enterprise V7.5 Manual](#)
[SBE V7.5 Manual](#)

FTSplitDef


- ▶ Overview
- ▶ **Loading a Data File**
- ▶ Entry
- ▶ Rules
- ▶ Options
- ▶ Splitting
- ▶ Examples

Load a Data File

Before starting on the rule file, a sample data file is loaded as a test case. The sample data must contain multiple pages or multiple documents as it is the variation across input pages that identifies the rules.


To load the sample data file:

- Select **Load Data File** from the **File** menu.



- Select the appropriate test data file in the **Open** dialog box.
- Ensure **Ascii / Unicode conversion** is **Auto**.
- Click the **Open** button.

The test data file appears in the main window of your FTSplitDef screen.



If you see an empty page, press **↵** (the first page may be just a carriage return). You will need to identify an "empty" page as **"Unwanted page"**

If you are splitting a Records Mode file, press **Entry**, **Properties** and adjust **Maximum lines per page** to **1** (one).

If the second page (press **↵**) is not at the same distance from the top of the screen, then you have an unformatted file with no carriage returns in it. Press **Entry**, **Properties** and adjust **Maximum lines per page** to **60** and recheck using **↵**. Adjust **Maximum lines per page** until pages line up using **↵** and **⬅**.

[Top](#)

