



Setup

[Core Components](#)

[Archive](#)

[Settings](#)

[Filters](#)

[Run](#)

Data Input

[File System](#)

[LP \(Line Printer\)](#)

[Named Pipes](#)

Delivery

[Print Servers](#)

[Print Licensing](#)

[E-mail](#)

[Application](#)

[Delivery Monitor](#)

FTSpooler Setup

PDF version

Core Components

FTSpooler **Core components** shows the versions and locations of all the FTSpooler essentials. Locations of forms, substitution files and rule files can be changed under **Home folder**. Enter the full path (which may be used later as the environment variable **%fthome%**). Also enter the **Install folder**, which is the location of programs for FTSpooler. This is the environment variable **%ftinstall%**.

In **Formatting** section, specify **Location of forms and substitution files**, normally **%fthome%\data**.

In **Identification and split** section, specify the **Location of rule files**, normally **%fthome%\rules**.

	Core components	Home directory (%fthome%): <input type="text" value="C:\fthome\y7\"/>
	Archive	
	Settings	Install directory (%ftinst%): <input type="text" value="C:\Program Files\TCGIS\FTSpoolerV7\"/>
	Filters	
	Run	
Data Input		
	File System	
	LP (Line Printer)	
	Named pipes	
Delivery		
	Print servers	
	Printer licensing	
	E-mail	
	Applications	
Formatting		
		Version: 6, 5, 3, 0 Location of forms and substitution files: <input type="text" value="%fthome%\data"/>
Identification and split		
		Version: 2, 0, 7, 0 Location of rule files: <input type="text" value="%fthome%\rules"/>
Page normalisation (repagination)		
		Version: 2, 1, 0, 4
		<input type="button" value="Save"/> <input type="button" value="Restore"/>

[Top](#)